













- [4] D. A. Bitton, D. L. Smith, Y. Connolly, P. J. Scutt, and C. J. Miller, “An Integrated Mass-Spectrometry Pipeline Identifies Novel Protein Coding-Regions in the Human Genome,” *PLoS One*, vol. 5, no. 1, p. e8949, Jan. 2010.
- [5] N. E. Castellana, S. H. Payne, Z. Shen, M. Stanke, V. Bafna, and S. P. Briggs, “Discovery and revision of Arabidopsis genes by proteogenomics,” *Proc. Natl. Acad. Sci. U. S. A.*, vol. 105, no. 52, pp. 21034–21038, 2008.
- [6] T. Dandekar, M. Huynen, J. T. Regula, B. Ueberle, C. U. Zimmermann, M. A. Andrade, T. Doerks, et al., “Re-annotating the *Mycoplasma pneumoniae* genome sequence: adding value, function and reading frames.,” *Nucleic Acids Res.*, vol. 28, no. 17, pp. 3278–3288, 2000.
- [7] F. Desiere, E. W. Deutsch, A. I. Nesvizhskii, P. Mallick, N. L. King, J. K. Eng, A. Aderem, et al., “Integration with the human genome of peptide sequences obtained by high-throughput mass spectrometry.,” *Genome Biol.*, vol. 6, no. 1, p. R9, 2005.
- [8] M. Helmy, M. Tomita, and Y. Ishihama, “OryzaPG-DB: Rice Proteome Database based on Shotgun Proteogenomics,” *BMC Plant Biol.*, vol. 11, no. 1, p. 63, 2011.
- [9] A. Tanca, M. Deligios, M. F. Addis, and S. Uzzau, “High throughput genomic and proteomic technologies in the fight against infectious diseases,” *J. Infect. Dev. Ctries.*, vol. 7, no. 03, Mar. 2013.
- [10] P. A. Stewart, K. Parapatics, E. A. Welsh, A. C. Müller, H. Cao, B. Fang, J. M. Koomen, et al., “A Pilot Proteogenomic Study with Data Integration Identifies MCT1 and GLUT1 as Prognostic Markers in Lung Adenocarcinoma,” *PLoS One*, vol. 10, no. 11, p. e0142162, 2015.
- [11] T. K. Sigdel and M. M. Sarwal, “The proteogenomic path towards biomarker discovery.,” *Pediatr. Transplant.*, vol. 12, no. 7, pp. 737–747, 2008.
- [12] C. Has and J. Allmer, “PGMiner: Complete proteogenomics workflow; from data acquisition to result visualization,” *Inf. Sci. (Ny)*, Aug. 2016.
- [13] P. K. Sarkar, P. K. Prajapati, V. J. Shukla, B. Ravishankar, and A. K. Choudhary, “Toxicity and recovery studies of two ayurvedic preparations of iron.,” *Indian J. Exp. Biol.*, vol. 47, no. 12, pp. 987–92, Dec. 2009.
- [14] J. Uszkoreit, N. Plohnke, S. Rexroth, K. Marcus, and M. Eisenacher, “The bacterial proteogenomic pipeline.,” *BMC Genomics*, vol. 15 Suppl 9, no. Suppl 9, p. S19, 2014.
- [15] B. A. Risk, W. J. Spitzer, and M. C. Giddings, “Peppy: proteogenomic search software.,” *J. Proteome Res.*, vol. 12, no. 6, pp. 3019–25, Jun. 2013.
- [16] F. Ghali, R. Krishna, S. Perkins, A. Collins, D. Xia, J. Wastling, and A. R. Jones, “ProteoAnnotator - Open Source Proteogenomics Annotation Software Supporting PSI Standards.,” *Proteomics*, pp. 1–26, 2014.
- [17] S. H. Nagaraj, N. Waddell, A. K. Madugundu, S. Wood, A. Jones, R. A. Mandyam, K. Nones, et al., “PGTools: A software suite for proteogenomic data analysis and visualization,” *J. Proteome Res.*, vol. 14, no. 5, pp. 2255–2266, 2015.
- [18] P. D. Jagtap, J. E. Johnson, G. Onsongo, F. W. Sadler, K. Murray, Y. Wang, G. M. Shenykman, et al., “Flexible and accessible workflows for improved proteogenomic analysis using the Galaxy framework.,” *J. Proteome Res.*, vol. 13, no. 12, pp. 5898–908, Dec. 2014.
- [19] R. M. M. Branca, L. M. Orre, H. J. Johansson, V. Granholm, M. Huss, Å. Pérez-Bercoff, J. Forshed, et al., “HiRIEF LC-MS enables deep proteome coverage and unbiased proteogenomics.,” *Nat. Methods*, vol. 11, no. 1, pp. 59–62, Jan. 2014.
- [20] M. R. Berthold, N. Cebron, F. Dill, T. R. Gabriel, T. Kötter, T. Meinl, P. Ohl, et al., “KNIME: The Konstanz Information Miner,” in *SIGKDD Explorations*, vol. 11, no. 1, 2008, pp. 319–326.
- [21] C. E. Aitken and J. R. Lorsch, “A mechanistic overview of translation initiation in eukaryotes,” *Nat. Struct. Mol. Biol.*, vol. 19, no. 6, pp. 568–576, 2012.

- [22] O. M. Alekhina and K. S. Vassilenko, “Translation initiation in eukaryotes: versatility of the scanning model.,” *Biochem. Biokhimiia*, vol. 77, no. 13, pp. 1465–77, 2012.
- [23] R. J. Jackson, C. U. T. Hellen, and T. V Pestova, “The mechanism of eukaryotic translation initiation and principles of its regulation.,” *Nat. Rev. Mol. Cell Biol.*, vol. 11, no. 2, pp. 113–127, 2010.
- [24] N. Malys and J. E. G. McCarthy, “Translation initiation: variations in the mechanism can be anticipated.,” *Cell. Mol. life Sci. C.*, vol. 68, no. 6, pp. 991–1003, 2011.
- [25] B. Vanderperre, J.-F. Lucier, and X. Roucou, “HAltORF: a database of predicted out-of-frame alternative open reading frames in human.,” *Database (Oxford)*, vol. 2012, p. bas025, Jan. 2012.