





































- [70] P. S. Niemel, S. Castillo, M. Sysi-Aho and M. Oresic. Bioinformatics and computational methods for lipidomics. *Journal of chromatography. B, Analytical technologies in the biomedical and life sciences*, 877:2855–2862, 2009.
- [71] N. Hadadi, K. Cher Soh, M. Seijo, A. Zisaki, X. Guan, M. R. Wenk and V. Hatzimanikatis. A computational framework for integration of lipidomics data into metabolic pathways. *Metabolic engineering*, 23:1–8, 2014.
- [72] C. Marella, A. E. Torda and D. Schwudke. The lux score: A metric for lipidome homology. *PLoS computational biology*, 11:e1004511, 2015.
- [73] P. Husen, K. Tarasov, M. Katafiasz, E. Sokol, J. Vogt, J. Baumgart, R. Nitsch, K. Ekroos and C. S. Ejsing. Analysis of lipid experiments (alex): a software framework for analysis of high-resolution shotgun lipidomics data. *PloS one*, 8:e79736, 2013.
- [74] R. Herzog, D. Schwudke and A. Shevchenko. Lipidexplorer: Software for quantitative shotgun lipidomics compatible with multiple mass spectrometry platforms. *Current protocols in bioinformatics*, 43:14.12.1–14.1230, 2013.
- [75] URL <https://www.thermofisher.com/order/catalog/product/IQLAAEGABSFAPCMBFK>.
- [76] URL [www.lipotype.de](http://www.lipotype.de).
- [77] M. A. Kochen, M. C. Chambers, J. D. Holman, A. I. Nesvizhskii, S. T. Weintraub, J. T. Belisle, M. N. Islam, J. Griss and D. L. Tabb. Greazy: Open-source software for automated phospholipid tandem mass spectrometry identification. *Analytical chemistry*, 88:5733–5741, 2016.
- [78] J. R. Collins, B. R. Edwards, H. F. Fredricks and B. A. S. V. Mooy. LOBSTAHS: An adduct-based lipidomics strategy for discovery and identification of oxidative stress biomarkers. *Analytical Chemistry*, 88(14):7154–7162, 2016.
- [79] D. I. Carroll, J. G. Nowlin, R. N. Stillwell and E. C. Horning. Adduct ion formation in chemical ionization mass spectrometry of nonvolatile organic compounds. *Analytical Chemistry*, 53(13):2007–2013, 1981. URL <http://dx.doi.org/10.1021/ac00236a015>.
- [80] S. Rao, A. van der Schaft, K. van Eunen, B. M. Bakker and B. Jayawardhana. A model reduction method for biochemical reaction networks. *BMC Systems Biology*, 8(1):52, 2014.
- [81] K. Yang, W. Ma, H. Liang, Q. Ouyang, C. Tang and L. Lai. Dynamic simulations on the arachidonic acid metabolic network. *PLoS computational biology*, 3:e55, 2007.
- [82] Y. Kihara, S. Gupta, M. R. Maurya, A. Armando, I. Shah, O. Quehenberger, C. K. Glass, E. A. Dennis and S. Subramaniam. Modeling of eicosanoid fluxes reveals functional coupling between cyclooxygenases and terminal synthases. *Biophysical journal*, 106:966–975, 2014.

- [83] V. Schützhöhd, J. Hahn, K. Tummler and E. Klipp. Computational modeling of lipid metabolism in yeast. *Frontiers in Molecular Biosciences*, 3, 2016.
- [84] S. Gupta, M. R. Maurya, D. L. Stephens, E. A. Dennis and S. Subramaniam. An integrated model of eicosanoid metabolism and signaling based on lipidomics flux analysis. *Biophysical Journal*, 96(11):4542–4551, 2009.